

GIVE YOUR BUSINESS THE UPTIME™ ADVANTAGE

Technical Specification 15 – 300 HP (11 – 250 kW)

Model	Power		Capacity		Working Pressure		Package Dimension (In)			Package Weight		Sound Level
	60Hz	HP	kW	cfm	m ³ /min	psi g	bar g	Length	Width	Height	lbs	
EG11 - 100	15	11	71	2.01	100	7	56"	28"	58"	1177	534	69
EG11 - 125	15	11	65	1.84	125	8.5	56"	28"	58"	1177	534	69
EG11 - 150	15	11	58	1.64	150	10	56"	28"	58"	1177	534	69
EG11 - 175	15	11	49	1.39	175	12.5	56"	28"	58"	1177	534	69
EG15 - 100	20	15	92	2.61	100	7	56"	28"	58"	1243	564	69
EG15 - 125	20	15	86	2.42	125	8.5	56"	28"	58"	1243	564	69
EG15 - 150	20	15	78	2.21	150	10	56"	28"	58"	1243	564	69
EG15 - 175	20	15	69	1.95	175	12.5	56"	28"	58"	1243	564	69
EG18 - 100	25	18	116	3.28	100	7	56"	28"	58"	1492	677	69
EG18 - 125	25	18	105	2.97	125	8.5	56"	28"	58"	1492	677	69
EG18 - 150	25	18	92	2.60	150	10	56"	28"	58"	1492	677	69
EG18 - 175	25	18	80	2.27	175	12.5	56"	28"	58"	1492	677	69
EG22 - 100	30	22	138	3.90	100	7	56"	28"	58"	1541	699	69
EG22 - 125	30	22	130	3.68	125	8.5	56"	28"	58"	1541	699	69
EG22 - 150	30	22	112	3.17	150	10	56"	28"	58"	1541	699	69
EG22 - 175	30	22	95	2.69	175	12.5	56"	28"	58"	1541	699	69
EG30 - 100	40	30	201	5.69	100	7	67"	44"	62"	2310	1048	68
EG30 - 125	40	30	170	4.81	125	8.5	67"	44"	62"	2310	1048	68
EG30 - 150	40	30	150	4.25	150	10	67"	44"	62"	2310	1048	68
EG30 - 175	40	30	136	3.85	175	12.5	67"	44"	62"	2310	1048	68
EG37 - 100	50	37	247	6.99	100	7	67"	44"	62"	2355	1068	68
EG37 - 125	50	37	206	5.83	125	8.5	67"	44"	62"	2355	1068	68
EG37 - 150	50	37	192	5.44	150	10	67"	44"	62"	2355	1068	68
EG37 - 175	50	37	171	4.84	175	12.5	67"	44"	62"	2355	1068	68
EG45 - 100	60	45	300	8.49	100	7	67"	44"	62"	2725	1236	68
EG45 - 125	60	45	253	7.16	125	8.5	67"	44"	62"	2725	1236	68
EG45 - 150	60	45	221	6.26	150	10	67"	44"	62"	2725	1236	68
EG45 - 175	60	45	197	5.58	175	12.5	67"	44"	62"	2725	1236	68
EG55 - 100	75	55	375	10.62	100	7	77"	50"	69"	3660	1660	69
EG55 - 125	75	55	327	9.26	125	8.5	77"	50"	69"	3660	1660	69
EG55 - 150	75	55	283	8.01	150	10	77"	50"	69"	3660	1660	69
EG55 - 175	75	55	262	7.42	175	12.5	77"	50"	69"	3660	1660	69
EG75 - 100	100	75	515	14.58	100	7	81"	50"	77"	4343	1970	69
EG75 - 125	100	75	445	12.60	125	8.5	81"	50"	77"	4343	1970	69
EG75 - 150	100	75	388	10.99	150	10	81"	50"	77"	4343	1970	69
EG75 - 175	100	75	358	10.14	175	12.5	81"	50"	77"	4343	1970	69
EG90 - 100	125	90	604	17.10	100	7	111"	65"	84"	6197	2811	75
EG90 - 125	125	90	536	15.18	125	8.5	111"	65"	84"	6197	2811	75
EG90 - 150	125	90	478	13.54	150	10	111"	65"	84"	6197	2811	75
EG110 - 100	150	110	720	20.39	100	7	111"	65"	84"	6395	2900	75
EG110 - 125	150	110	630	17.84	125	8.5	111"	65"	84"	6395	2900	75
EG110 - 150	150	110	570	16.14	150	10	111"	65"	84"	6395	2900	75
EG160 - 100	200	160	975	27.61	100	7	111"	65"	84"	7840	3556	75
EG160 - 125	200	160	850	24.07	125	8.5	111"	65"	84"	7840	3556	75
EG160 - 150	200	160	778	22.03	150	10	111"	65"	84"	7840	3556	75
EG200 - 100	250	200	1275	36.10	100	7	126"	83"	88"	11795	5352	78
EG200 - 125	250	200	1175	33.27	125	8.5	126"	83"	88"	11795	5352	78
EG200 - 150	250	200	1000	28.32	150	10	126"	83"	88"	11795	5352	78
EG250 - 100	300	250	1500	42.47	100	7	126"	83"	88"	11905	5402	78
EG250 - 125	300	250	1350	38.23	125	8.5	126"	83"	88"	11905	5402	78
EG250 - 150	300	250	1140	32.28	150	10	126"	83"	88"	11905	5402	78
ENERGY SAVING VFD COMPRESSORS												
EG11 V	15	11	71	2.01	60 - 175	6 - 12.5	56"	28"	58"	1203	546	69
EG15 V	20	15	92	2.61	60 - 175	6 - 12.5	56"	28"	58"	1271	577	69
EG18 V	25	18	116	3.28	60 - 175	6 - 12.5	56"	28"	58"	1554	705	69
EG22 V	30	22	138	3.90	60 - 175	6 - 12.5	56"	28"	58"	1600	726	69
EG30 V	40	30	201	5.69	60 - 175	6 - 12.5	67"	44"	62"	2410	1093	68
EG37 V	50	37	247	6.99	60 - 175	6 - 12.5	67"	44"	62"	2454	1068	68
EG45 V	60	45	300	8.49	60 - 175	6 - 12.5	67"	44"	62"	2825	1281	68
EG55 V	75	55	375	10.62	60 - 175	6 - 12.5	77"	50"	69"	3802	1725	69
EG75 V	100	75	515	14.58	60 - 175	6 - 12.5	81"	50"	77"	4486	2035	69
EG90 V	120	90	604	17.10	100 - 150	7 - 10.0	111"	65"	84"	6197	2811	75
EG110 V	150	110	720	20.40	100 - 150	7 - 10.0	111"	65"	84"	6395	2900	75
EG160 V	200	160	975	27.60	100 - 150	7 - 10.0	111"	65"	84"	7840	3556	75
EG200 V	250	200	1275	36.10	100 - 150	7 - 10.0	126"	83"	88"	12070	5476	78
EG250 V	300	250	1500	42.47	100 - 150	7 - 10.0	126"	83"	88"	12180	5526	78

Note: Free Air Delivery (FAD) is tested as per ISO 1217 : 2009 Annex.C Ed.4 Sound level per ISO 2151, 2nd Edition at 1m distance in field conditions, ±3dB(A)
Due to continuous engineering improvements, the specifications are subject to change without prior notice.



EG Series Screw Air Compressors

Life source of industries

ELGi
Always Better.

UPTIME™
ASSURANCE



01CAT0005/ROO

www.elgi.com

15 - 300 HP / 11 - 250 kW

SEEING IS BELIEVING.



At ELGi,™ we're changing the way you look at compressed air systems.

It's no longer just about delivering air. It's about delivering UPTIME.™

From the way we design, manufacture and support the new EG Series, every aspect of our business is built on keeping yours running: smoothly, efficiently and profitably. That's why we're the first manufacturer to offer a lifetime warranty on our compressors.

What you'll also see in the EG Series is industry-leading energy efficiency, driven by our exclusive slow speed Axis air ends, the most efficient and most robust in the entire industry.

So go ahead. Judge the EG Series by its size, by its appearance, by the way it's built. Even by how it's supported. When you do, you'll see that ELGi™ is the right partner for your business.



ELGi™ Global (EG) Series compressor platforms feature direct drive operation, industry-leading UPTIME™ and energy efficiency, and a full array of optional features.



AIR UP.

UPTIME™ comes standard on every EG Series compressor.

UPTIME™ Design.

The EG Series is designed on a simple premise: machines that run cooler and cleaner also run longer. That's why we've built the coolest running compressor on the market, with multi-stage air filtration, a cooler designed to run in even the most extreme ambient conditions, and our proprietary Thermo-Zone layout.

UPTIME™ Components.

Piece by piece, world-class quality is built into the new EG Series. At the heart of each unit is our exclusive Axis air end, the most efficient, modern and robust in the industry. Yet attention to detail is found everywhere: rigid steel piping, premium valves, even leak-free fittings.

UPTIME™ Assurance.

Here's where we back our pledge, and further remove your risk, with the most comprehensive, worry-free assurance plan the industry. Only ELGi™ gives you a lifetime warranty on your compressor. And if there's ever an issue, we'll have your compressor up and running within 48 hours. Our partnership never ends.

UPTIME DESIGN: FORM FOLLOWS FUNCTION. RELIABILITY FOLLOWS FORM.



COOL RUNNING

EG Series compressors are the coolest running compressors on the market, at 45° C (115° F). And it's all by design.

ELGi's signature Thermo-Zone layout means that hot areas are separated from cool areas. This way, the more sensitive components are always running cooler. The machine is designed into four Thermo-Zones to ensure maximum UpTime.

ZONE 1 All electrical and control components - which are most susceptible to heat - are placed in the coolest area of the machine to ensure reliable performance and long life.

ZONE 2 The integrated dryer (where available) is placed in another separate cool zone.

ZONE 3 The oil module is located close to the air end, which confines the heat generating operations to one designated area. This also results in lower pressure loss.

ZONE 4 When it comes to cooling a compressor, size matters. That's why a cooler designed to run even in the most extreme ambient conditions, with a larger cooling surface area, helps maintain air temperatures at industry-leading levels. The system is located in a separate zone for easy ducting and cleaning.

ZONE 4

ZONE 1

ZONE 2

ZONE 3



When less is more

The simplistic design of the EG Series is key to delivering maximum uptime. By utilizing fewer parts than others, we build in greater dependability.

Keeping it clean

Integral to the EG Series is a special three-stage air filtration system, which dramatically reduces air contamination, and greatly prolongs filter, oil and component life. Cleaner air means lower pressure losses and reduced maintenance. All of which dramatically lowers your costs.

Air up, even from a distance

Remote monitoring via SCADA (Supervisory Control and Data Acquisition) allows you to control and monitor the performance of your compressor from your PC, anywhere in the world.

Faster service = More UPTIME™

The less time spent servicing your compressor, the more time it will run. That's why we've created easy access to routine service points. Large, hinged doors provide access from one side of the compressor. There's an integrated cooler module with easy access for cleaning. Plus, we've extended the life of filters and oil intervals.

Technical manuals made easy

Finding the information you need fast helps you improve uptime. Easy to follow, organized and highly detailed, service technicians will soon find that our technical manuals are the envy of the industry.

UPTIME COMPONENTS: EVERY PART IS A PREMIUM PART



OUR OWN AIR ENDS

Few companies in the world have the expertise and ability to design and manufacture air ends. And nobody makes a bigger or more robust air end. ELGi™ Axis air ends utilize our proprietary eta-V™ profile, so the compressor runs slower with higher efficiency.

RUN SLOWER, RUN LONGER

Slow running speeds place less stress on components and raise the efficiency of the compressor. This improves energy efficiency, reduces maintenance costs and saves you money.

YOU WON'T BELIEVE WHAT YOU WON'T HEAR

Quiet operation is the hallmark of top quality air compressors. And the sound levels of the EG Series rival any premium compressor on the market.

HIGH-EFFICIENCY MOTOR

Premium-efficiency motors are used to power the EG Series.

OIL SEPARATION < 1PPM

Using a unique, high-efficiency OSBIC process (Oil Separation By Impact and Centrifugal Action). This involves three stages of separation, which ensures longer separator element life and greater air quality. All of which saves you money.

THE SMART COMPRESSOR

ELGi's exclusive Neuron II controller diagnoses all systems and serves as your watchdog for the EG Series. Neuron II monitors all systems and provides early warning for trouble areas and routine maintenance. It also regulates start delays between the compressor and dryer to optimize the air quality while reducing energy costs.

SOMETHING YOU WON'T FIND: LEAKS

Our generous use of rigid, steel piping, hoses and flanged fittings with o-ring seals help prevent leaks.

UPTIME™ ASSURANCE PLAN: OUR INDUSTRY-FIRST LIFETIME WARRANTY REMOVES YOUR RISK

Lifetime warranty* Every ELGi™ compressor is backed by our industry-first, lifetime air end warranty.

48-hour parts availability Parts availability shouldn't be a limiting factor for your business. So all ELGi™ distributors stock high volumes of replacement filters and parts. However, if they don't have a specific part available, we'll ship it to you within 48 hours.


Competitive parts pricing Genuine ELGi™ replacement parts and consumables (oil, filters) are key to protecting your EG Series compressor and ensuring maximum uptime. That's why we offer them at competitively low prices.

Loaner machines* If your compressor goes down, we'll have it repaired within 48-hours or we'll offer you use of a loaner machine while yours is being repaired.

Customer Hotline When you have service questions, you want to speak to a person, not a machine. You also want that person to be local and knowledgeable. That's why our customer hotline is staffed by industry professionals who know our products, and your business.

*Subject to conditions.

UPTIME™
ASSURANCE




WATCH YOUR ENERGY SAVINGS ADD UP

ENERGY EFFICIENCY AT BEST-IN-CLASS LEVELS

Here's where uptime meets efficiency: the same factors that produce greater uptime also maximize your energy efficiency. Slow running speeds, larger air ends, high efficiency motors, cooler running, cleaner air and low pressure losses are all hallmarks of the EG Series. They're also what make the EG Series stand out as a leader in energy efficiency.

ENERGY SAVINGS OVERLOAD/NO-LOAD CONTROL ONLY

ELGI DUAL CONTROL ADVANTAGE



ELGI's compressors (EG 55 and up) use a dual control system of Load-No-Load with upper end Modulation Control. This allows customers to maximize the available energy savings. Adjustable to best fit in the customer application, the Modulation control is used from 100% to about 50% load and the Load/No-Load control is used from 50% to 20% load. The result is minimized energy consumption and maximized savings in energy cost.

VFD DRIVES EVEN GREATER ENERGY SAVINGS


Studies show that over a 10-year ownership cycle, energy consumption accounts for 90% of your total compressed air cost. EG Series compressors with our exclusive Conserv™ technology can reduce your total energy costs by up to 35%. This dramatic savings will give you a fast return on your VFD investment

VFD matches compressor output with the demand by varying the motor speed. Thus, power consumption is in direct relation to air demand. This helps eliminate the frequent load/unload cycle that wastes energy.


Fixed speed compressors operate on a load/unload band of at least 10 psi around the working pressure, whereas the ELGi™ VFD operates within a band of 2 psi. By operating at lower pressures, VFD units save substantial energy. For every 2 psi reduction in operating pressure, there is a 1% energy savings.

VFD also improves your uptime. Fixed compressors with WYE-Delta starters use starting currents as high as three times the full load current (FLC). With ELGi™ VFD, starting current is less than the FLC. This helps avoid using heavy rated components such as fuses, MCCB, cable size, generator rating and isolators.

10 YEAR LIFE CYCLE COST



Compressor without VFD



Compressor with **CONSERVE™**
ENERGY EFFICIENCY

ADVANTAGES:

Electrical:
Low starting current
High Efficiency
Improved power factor
Reduced maximum demand

Mechanical:
Minimum maintenance
Soft start
Smooth control

WORLD-CLASS PRODUCTS. WORLD-WIDE REACH. LOCAL SERVICE.



The EG Series is just the latest breakthrough for ELGi.™ We're a 50+ year-old company who has risen to become one of the world's largest manufacturers of air compressors. Our rapidly expanding global footprint now spans 70 countries, 18 offices and 100's of distributors. Our global resources include:

- Leader in technology-embedded products: one of only seven companies in the world to design and develop our own two-stage, oil-free screw compressors
- Full line provider of portable, rotary screw, reciprocating, centrifugal, marine and railroad compressors
- Designs and manufactures the widest range of proprietary oil-lubricated air ends in the world
- Employs more than 350 engineers worldwide focused on design, development and manufacturing
- Multiple manufacturing hubs with local product assembly worldwide
- 2 million ELGi™ compressors produced power to businesses around the globe, including:

ABB, Coca-Cola, Cummins, Halliburton, Harley Davidson, Siemens, Pepsi, Disney, Revlon, Tyson, Rockwell medicals, Valspar, Duke energy and many other world-class companies.



WORLD-WIDE REACH

ELGi™ serves the world marketplace. Over two million compressors are powering business in 70 countries worldwide. The company offers a strong sales and service network, integrated with a distribution network of 100's of dealers worldwide. ELGi™ has its own manufacturing facilities in India, Italy and USA. Additionally, ELGi™ has warehouse operations to stock units and parts in Australia, Brazil, Indonesia and Middle east

INDUSTRIAL APPLICATIONS



Aerospace Industry



Automobile Industry



Food Industry



Defense Industry



Sandblasting



Textiles Industry